

Conseils de sécurité


- ◆ Avant d'utiliser le produit, lisez toutes les précautions de sécurité
- ◆ Si le produit est anormal ou endommagé, ne l'utilisez pas
- ◆ Ne laissez pas l'eau pénétrer dans le contrôleur
- ◆ Empêcher la surface de rentrer en collision avec des objets pointus des modules solaires
- ◆ Assurez-vous que le connecteur du clip de batterie est approprié pour éviter les courts-circuits
- ◆ Aucune pièce réparable sous licence utilisateur à l'intérieur. Ne le démontez pas et ne tentez pas de le réparer
- ◆ Ne touchez pas la batterie entraînée par le conducteur électrique exposé



Panneau solaire pliable

Manuel d'utilisation

Résumé de la structure du panneau solaire pliant



Articles	
1	Sangle
2	Cellules solaires
3	Velcro
4	Soutien
5	MC4

Foire aux questions (FAQ)

Q : Quel type de batterie peut être chargé par ces modules solaires

A: 1, batterie plomb-acide scellée 2, batteries plomb-acide colloïdales 3, les batteries plomb-acide d'ouverture

4, (Interface sur la sortie du contrôleur via USB) Tels que : téléphones mobiles, tablettes, systèmes de navigation, etc.

Q : Comment nettoyer la surface solaire ?

A : Lorsque la poussière et la saleté recouvre la surface des modules solaires ils peuvent être nettoyés à l'aide d'une brosse douce. Pour enlever la poussière et la saleté restante utilisez un chiffon humide.

Q : Les modules solaires pliables sont-ils étanches ?

A: Non, car c'est avec du tissu.

Paramètres de performance du module solaire pliable

Taper	Dimension	N.W	spécification				
			Puissance maximale	Tension débitée	Courant débitée	Tension circuit ouvert	Courant de court-circuit
Module	mm	Kg	W	V	A	V	A
3*55w	565*550*20	5.0	165	20.9	7.9	24.4	8.29

Conditions STC (Condition de test standard) : Irradiance : 1 000 W/m² - Spectre AM1.5 - Température : 25 °C

Safety Tips


- ◆ Before using the product, read all safety precautions.
- ◆ If the product is abnormal, or work damaged, do not use
- ◆ Do not allow water to enter the controller
- ◆ Prevent sharp objects collision surface of solar modules
- ◆ Ensure proper battery clip connector, to prevent short circuits
- ◆ No user license serviceable parts inside. Do not disassemble or attempt to repair it
- ◆ Do not touch the exposed electrical conductor entrained battery



Foldable solar panel

User's manual

Summary of folding solar panel structure



Items	
1	Strap
2	Solar cells
3	Velcro
4	Support
5	MC4

Frequently Asked Questions(FAQ)

Q: What kind of battery can be charged by these solar modules

A: 1, sealed lead-acid battery 2, colloidal lead-acid batteries 3, the opening lead-acid batteries

4、 (Interface on the controller output via USB) Such as: mobile phones, tablets, navigation systems and so on

Q: How to clean the solar surface?

A: When dust and dirt covering at the surface of solar modules can be cleaned with a soft brush, then use a damp cloth to wipe the surface of solar modules, to remove the remaining dust and dirt.

Q: Foldable solar modules are waterproof?

A: Because the system contain sophisticated electronic components shall prevent moisture from entering use.

Foldable solar module performance parameters

Type	Module Size	N.W	Specification				
			Max Power	Max Power Voltage	Max power Current	Open Circuit Voltage	Short circuit Current
Module	mm	Kg	W	V	A	V	A
3*55w	565*550*20	5.0	165	20.9	7.9	24.4	8.29

STC Conditions (Standard test condition) :Irradiance:1,000W/m² - AM1.5 Spectrum - Temperature:25°C